

To: Wagner, Christine[Wagner.Christine@epa.gov]
From: Nonresponsive based on revised scope [redacted]@tetrattech.com]
Sent: Wed 3/10/2021 12:21:46 AM (UTC)
Subject: FW: Radiation Protection Improvement Items
[Shiloh Church Site - Rad Protection Improvement Items.docx](#)

Chris

Here is the summary of items that [redacted] put together today...call if you want to discuss.

Thanks

From: Nonresponsive based on revised scope [redacted]@cabreraservices.com>
Sent: Tuesday, March 9, 2021 6:48 PM
To: Nonresponsive based on revised scope [redacted]@tetrattech.com>
Subject: Radiation Protection Improvement Items

Hi [redacted]

[redacted] compiled that list of radiation protection improvement items that you asked for, based on his understanding of the project from the last few days. We ran this by our senior HPs this afternoon.

Per our phone conversation this evening, [redacted] will not be onsite tomorrow and will demobilize from the project. Let me know if anything changes by tomorrow morning and we can adjust as necessary.

Let me know if you need anything else from me or if we can support the project in any other way.

Thanks,

Nonresponsive based on revised scope [redacted] **Environmental Scientist/GIS**
CABRERA SERVICES INC.
Nonresponsive based on revised scope [redacted] www.cabreraservices.com
SMALL BUSINESS. BIG RESULTS. CHALLENGE ACCEPTED.

From: Nonresponsive based on revised scope [redacted]
Sent: Sunday, March 7, 2021 11:14 AM
To: Nonresponsive based on revised scope [redacted]@tetrattech.com>
Subject: RE: [EXTERNAL] Shiloh - Health & Safety Plan

Thanks, [redacted] I sent that over to [redacted] on Friday, so I know he has already taken a look. [redacted] is set to be onsite tomorrow morning.

- Few questions, as I want to make sure we hit the ground running and not slow up your project...
- Did you already preform the necessary onsite QC for the instruments you have? If that's something you still need to do, that can take anywhere from several hours to a full day depending upon how many instruments you have. Also we'll need the sources. I think you may be still waiting on the alpha and beta sources.
 - Can you briefly describe the purpose of the radiological screening? What you are trying to accomplish? That can help us determine the best approach to use the instruments you have onsite and how to develop a useful screening level for each instrument. If that's something you'd like us to advise you on. I think I heard that there was a radium deck marker found, and you need to screen the onsite soil?

I can give you a call tomorrow. Just let me know how we can help.

Thanks,

Nonresponsive based on revised scope [redacted] **Environmental Scientist/GIS**
CABRERA SERVICES INC.

Nonresponsive based on revised scope www.cabreraservices.com

SMALL BUSINESS. BIG RESULTS. CHALLENGE ACCEPTED.

From: Nonresponsive based on revised scope [\[REDACTED\]@tetrattech.com](mailto:[REDACTED]@tetrattech.com)>

Sent: Friday, March 5, 2021 7:02 AM

To: Nonresponsive based on revised scope [\[REDACTED\]@cabreraservices.com](mailto:[REDACTED]@cabreraservices.com)>

Subject: [EXTERNAL] Shiloh - Health & Safety Plan

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Nonresponsive based on revised scope

Can you please forward this to [\[REDACTED\]](mailto:[REDACTED]) for his review. We have a hard copy onsite that we can talk about, and he can review and sign on Monday after he arrives onsite. Thanks and just let me know if there are any questions.

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Environmental Scientist

Nonresponsive based on revised scope

[\[REDACTED\]@tetrattech.com](mailto:[REDACTED]@tetrattech.com)

Tetra Tech Inc.

240 Continental Drive, Suite 200 | Newark, DE 19713 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.